Safety Data Sheet (SDS)

Antimony Metal (Except powder)

1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Substance name: Antimony Metal (Except powder)

Product name: METAL series (Grade name described in last page)

Company name: NIHON SEIKO CO.,LTD.

Address 3-2 SHIMOMIYABI-CHO SHINJUKU-KU TOKYO

162-0822 JAPAN

Charge section
Phone number
Fax number
E-mail address
Emergency telephone number

SALES DEPT.
+81-3-3235-0031
+81-3-3235-0034
mail@nihonseiko.co.jp
NAKASE REFINERY

OUALITY ASSURANCE SECTION

+81-79-667-2121

Recommended use and restriction

on use: Industrial materials: Raw materials for semiconductor, Storage battery,

alloys, etc.

2.HAZARDS IDENTIFICATION

GHS classification : Classification not possible or Not classified

GHS label:

Hazard pictogram
Signal word
Not applicable.
Not applicable.
Not applicable.
Precautionary statements
I Prevention
Not applicable.

【Response】
Not applicable.
【Storage】
Not applicable.
【Disposal】
Not applicable.

Other hazard not applicable to

GHS classification hazard:

The summary of important signs

No information.

The summary of important signs

and assumed emergency: No information.

3.COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture:
General product description:
Other name:

Substance
Antimony
Antimony Metal

Chemical property

(Chemical formula etc):

CAS number: 7440-36-0

Component and its content: It has indicated to the last page for every grade.

EINECS number: 231-146-5

Antimony Metal Issue No: Q0747-02 Issue Date: May 16, 2022

S NIHON SEIKO CO., LTD.

Page 1 of 7

Impurity and stabilizing additive

that contribute to GHS

Classification:

It has indicated to the last page for every grade.

4.FIRST AID MEASURES

Following inhalation:

Move affected person to fresh air.

If you feel sick, seek medical attention.

Following skin contact: Following eye contact: Wash with water and remove clothes if necessary. Flush eyes thoroughly with water, also under eyelids.

Acute or delayed effects are not anticipated for antimony.

After ingestion: Rinse mouth with water.

If you feel sick, seek medical attention.

Most important symptoms and effects ,both acute and delayed: Protection of person who do first

No information.

Special precaution statement

for doctor:

No information.

No information.

5.Fire-fighting measure

Extinguishing media:

Use fire-fighting measures that suit the environment.

The product is not combustible and does not support the combustion.

Unsuitable extinguishing media:

Special hazards arising from the

Substance or mixture: Specific fire-fighting:

Antimony trioxide dust.

Move the product to safe place promptly when it is a fire in the surrounding.

If it is non-transferable, sprinkle the container and the circle with water and

Protection for fire-fighter:

Wear suitable protective equipment in fire-fighting.

6.Accidental release measures

Personal precautions, protective equipment and emergency

procedures:

Avoid formation of dust.

Ensure adequate ventilation.

Keep unprotected persons away.

Although the substance has no acute toxicity, it is advised to avoid contact with

skin, eyes, and clothing – wear suitable protective equipment.

Avoid inhalation of dust.

Environmental precautions:

It is advised that in the event of an accidental release the product should be prevented from reaching the sewage system or any water course and

penetrating the soil.

Dispose of spilled material in accordance with the relevant regulations.

Methods and material for

containment and cleaning up:

In any case avoid dust formation.

Sweep all spilled material or use an appropriate industrial vacuum cleaner. Collect spilled material in suitable containers or closed plastic bags for recovery

or disposal.

Prevention of second disaster:

For more information on exposure controls/personal protection or disposal

considerations, check section 8 and 13 of this safety data sheet.

7. Handling and storage

Handling:

Technological countermeasure (local ventilation/ General

Ventilation etc)

Provide a local dust collection system in the places where dust can be generated. Provide dust protective mask in the handling position.

Antimony Metal Issue No: Q0747-02 Issue Date: May 16, 2022

Page 2 of 7

S NIHON SEIKO CO., LTD.

Safety precaution Do not handle until all safety precautions have been read and

understood.

Work by wearing suitable protective equipment.

Avoid contact Check section 10.

Hygiene measure Avoid inhalation or ingestion.

General occupational hygiene measures are required to ensure a safe handling

of the substance.

These measures involve good personal and housekeeping practices

(i.e. regular cleaning with suitable cleaning devices). No eating, drinking and smoking at the workplace.

Wash hands after use.

Remove contaminated clothing and protective equipment before entering

eating areas.

Shower and change clothes at end of work shift. Do not bring contaminated clothing at home. Do not blow dust off with compressed air.

Storage:

Safety storage condition Store in well ventilated dry area with low humidity and sealed state.

Safety packaging material Establish whether the container conforms test standard on a voluntary

basis.

8.EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure control limits Effect of over exposure:

ACGIH(2021) 0.5mg/m³ TLV-TWA

(Antimony and compounds, as Sb)

Engineering controls: Prevent formation of dust where possible. Ensure appropriate

ventilation/exhaustion at machinery and places where dust can be

generated. Any deposit of dust which cannot be avoided must be regularly removed using preferably appropriate industrial vacuum cleaners or central

vacuum systems.

Waste air is to be released into the atmosphere only when it has passed

through suitable dust separators.

Waste water generated during the production process or cleaning operations should be collected and should preferably be treated in an on-site waste water treatment plant which ensures efficient removal of antimony.

Personal protective equipment:

Hand protection Protective gloves Eye protection Protective glasses

Skin and body protection

Special precaution statement

Protective high boots and cloth
Avoid environmental discharge.

9.PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Physical state Solid

Figure Massive, Shot metal

Color Gray
Odor: Odorless
Melting point: 630 °C

Initial boiling point and boiling

range: 138

1380 °C

Antimony Metal Issue No: Q0747-02 Issue Date: May 16, 2022

Page 3 of 7

NIHON SEIKO CO., LTD.

Flammability: Non-flammable. This substance does not contain any chemical groups

that might lead to spontaneous ignition a short time after coming in contact with air at room temperature (circa 20°C). Furthermore, long-term industrial experience in handling shows that the substance

does not ignite in contact with air.

Upper/lower flammability or

explosive limits: Non explosive. Antimony exhibits no chemical groups indicating

explosive properties.

Flash point: Not applicable as only relevant for liquids or low melting point

solids.

Auto-ignition temperature: No data.

Decomposition temperature: It does not decompose. PH: Not applicable to solids.

kinematic viscosity:

Solubility(ies):

No information.
18.2 mg/l

(20°C -ISO 6341 medium-loading 2g Sb/l-pH 4.6)

Partition coefficient n-octanol/water:

Vapor pressure: 1.66mmHg (800 °C)

Relative density: 6.7

Relative vapour density:
Particle characteristics:
Other:
No information.
No information.

10.STABILITY AND REACTIVITY

Reactivity: No information.

Chemical stability: Under normal conditions of use and storage, the product is stable.

Possibility of hazardous reactions: Reaction with H-equivalents releases antimony hydride

(stibine, SbH₃).

No information.

When heated in air, it burns with a blue flame and antimony

trioxide is generated.

Antimony pentachloride is generated and catch fire if Antimony

meets chlorine.

If Antimony reacts with bromine and iodine, it reacts violently at

ordinary temperatures.

Sulfur dioxide is generated if it meets hot sulfuric acid.

The mixture of antimony powder and nitrate salt has the quality of

explosiveness.

Antimony reacts with salt of permanganic acid and antimonate is

generated.

Conditions to avoid:

Avoid dust formation and high temperature

Incompatible materials: Reaction with H⁻-equivalents releases antimony hydride

(stibine, SbH₃).

Hot sulfuric acid. Halogen. Nitrate salt. Salt of permanganic acid.

Strong acids/bases. Reducing agents.

Hazardous decomposition products:

Other:

Not applicable.

No information.

11.TOXICOLOGICAL INFORMATION

Acute Toxicity (Oral): Based on read-across from antimony trioxide, antimony does not

require a classification.

LD₅₀ rat > 20,000 mg/kg bw (Antimony trioxide) (Fleming, 1938; Gross et al, 1955; Weil et al, 1978)

Antimony Metal Issue No: Q0747-02 Issue Date: May 16, 2022

NIHON SEIKO CO., LTD.

Page 4 of 7

Acute Toxicity (Dermal): Based on read-across from antimony trioxide, antimony does not

require a classification.

 LD_{50} rabbit > 8,300 mg/kg bw (Gross et al, 1955) (Antimony trioxide) Acute Toxicity Based on read-across from antimony trioxide, antimony does not

(Inhalation: dust/mist): require a classification.

LC₅₀ rat> 5,200 mg/m³ (Leuschner, 2006) (Antimony trioxide)

Acute Toxicity

(Inhalation: fume/vapors): Out of category to solids.

Skin corrosion/irritation: Causes mild skin irritation. Especially can cause dermatitis on contact with

sweat-damp region over again or prolonged contact. Dermatitis that

known as "antimony spots" can cause rash after itchiness.

Serious eye danger/irritation: Antimony trioxide is not irritating to eyes.(Leuschner, 2005)

Based on read-across from antimony trioxide, antimony does not

require a classification.

Respiratory or skin sensitization: Not skin sensitizing (Chevalier, 2005; Moore, G.E., 1994) /no respirator

y

sensitizer. Based on read-across from antimony trioxide, antimony

does not require a classification.

Based on read-across from antimony trioxide, antimony does not

require a classification.

Germ cell mutagenicity:

Antimony trioxide does not cause systemic mutagenicity in vivo after oral

administration. Negative in vivo results on chromosome aberrations and micronuclei were obtained in two different species via oral application

- mouse (Elliot et al., 1998) and rat (Whitwell, 2006),

(Kirkland et al., 2007).

Based on read-across from antimony trioxide, antimony does not

require a classification.

Carcinogenicity:

Japan Society for Occupational

Health
ACGIH
Not classified as carcinogen.

Reproductive toxicity: Based on the available long-term toxicity studies in rodents

(Omura et al, 2002) and the relevant information on the

toxicokinetic behavior in rats, it is concluded that antimony trioxide

does not present a reproductive toxicity hazard.

Based on read-across from antimony trioxide, antimony does not

require a classification.

STOT single exposure: Antimony trioxide is not classified as STOT, single exposure.

Based on read-across from antimony trioxide, antimony does not

require a classification.

STOT repeated exposure: Antimony trioxide is not classified as STOT, repeated exposure.

Based on read-across from antimony trioxide, antimony does not

require a classification.

Aspiration hazard: Classification not possible, because of a lack of information.

Other: No information.

12.ECOLOGICAL INFORMATION

Ecotoxicity: Classification not possible, because of a lack of information.

Persistence and degradability:
Bioaccumulative potential:
Mobility in soil:
Hazardous to the ozone layer:

No information.
No information.
No information.
No information.

Antimony Metal Issue No: Q0747-02 Issue Date: May 16, 2022

® NIHON SEIKO CO., LTD.

Page 5 of 7

Other: No information. 13.DISPOSAL CONSIDERATIONS Waste from residues: Dispose of contents in accordance with local/regional/national /international regulations(to be specified). Contaminated container/packing: Dispose of container in accordance with local/regional/national /international regulations(to be specified). 14.TRANSPOT INFORMATION International regulation: Not applicable. UN code Not applicable. Proper shipping name **UN Class** Not applicable. Not applicable. Packing group Marine pollutant Not applicable. 15.REGULATORY INFORMATION Worldwide chemical inventories: ENCS(Japan) Not listed TSCA(USA) Listed KE-01834 ECL(Korea) Listed DSL(Canada) PICCS(Philippines) Listed Listed AICS(Australia) Listed IECSC(China) NECI(Taiwan) Listed Other regulatory information: Follow regulation and low of each country or region. 16. OTHER INFORMATION Treatment of stated contents: The contents of this information sheet are based on the data, information available at moments, and may be revised by additional dat a coming up in future. The precautions mentioned in this sheet are intended for normal use of this material, when use in unusual manner, the proper safety method is required. Read this SDS before use the ingredients. Keep this SDS in your file for your timely reference. The contents of this information sheet are not warranted and the company can accept no liability to any customer or any other person. References: 1.GHS taiou guideline Edit: Japan Chemical Industry Association Issuance: Japanese Standards Association 2. Antimony SDS form of International Antimony Association (i2a) 3. [Kaiteidai3ban] Kinkyujioukyusochishishin Issuance: Japanese Standards Association 4. National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (CHRIP) Antimony 5.OECD-SIAM(October 14-16. 2012)SIDS Initial Assessment Profile 6.TRANSPORT OF DANGEROUS GOODS Model Regulations 7. Kagakubusshitsu Anzensei Data Book The Chemical Substance Safety Information Workshop 8.Shokubanoanzen site: GHS taiou model label • model MSDS

Jouhou: Antimony

Ministry of Health, Labour and Welfare (Japan)

Antimony Metal Issue No: Q0747-02 Issue Date: May 16, 2022



9.Muki kagaku zensho.IV-4
MARUZEN CO., LTD.
10.Sangyouigaku vol.33 1991

Each Antimony Metal grades of purity and impurity content.

	METAL-S	METAL-N	METAL-H	METAL-H	METAL-H	METAL-H
			3N	4N	4.5N	5N
Sb(%)	99.8	99.7	99.9	99.99	99.995	99.999
As(%)	0.04	0.06	0.02	4ppm	2ppm	1ppm
Pb(%)	0.06	0.14	0.04	11ppm	5ppm	1ppm





